

Operating HF on a Shoestring Budget in an HOA

or

My first SDR radio



RXTX Ensemble SDR \$89 kit from FIVEDASH.COM



Modified PAC12 Antenna \$65



Working Australia on 1 Watt Priceless!!!

VK3EY



ROB PUISE
P.O. BOX 6393
SHEPPARTON, VICTORIA 3632
Australia



QSL: BUREAU, LOTW,
EQSL_AG, DIRECT

My last 15 QSO

CALL	DX		TIME	BAND	MODE	RSTs	RSTr
VK3EY	KM5HT		2014-08-27 09:32	20m	JT65	-22	-17
VK3EY	JA7FYU		2014-08-26 11:52	20m	JT65	-03	-19
VK3EY	OE5HFM		2014-08-26 09:16	20m	JT65	-17	-13
VK3EY	DL8FCK		2014-08-26 09:09	20m	JT65	-13	-13
VK3EY	EI3DY		2014-08-26 09:01	20m	JT65	-14	-09
VK3EY	KL7YK		2014-08-26 08:53	20m	JT65	-07	-13
VK3EY	JE7JCX		2014-08-25 09:33	20m	JT65	-07	-06
VK3EY	JE7HYK		2014-08-25 08:59	20m	JT65	-14	-14
VK3EY	G1XOW		2014-08-25 07:30	20m	SSB	59	59
VK3EY	ON7AB		2014-08-25 07:22	20m	SSB	59	59
VK3EY	M0WYZ		2014-08-25 06:57	20m	SSB	59	59
VK3EY	M1AQO		2014-08-25 06:36	20m	SSB	59	59
VK3EY	OE6BMG		2014-08-25 06:26	20m	SSB	59	57
VK3EY	TI2CC		2014-08-25 00:26	10m	SSB	59	59
VK3EY	UA0NL		2014-08-24 23:33	17m	JT65	-09	-19

[Web Logbook \(HRDLOG.net\) by IW1QLH - click to open my online logbook](#)

Today I will talk about

- How I got started building an RXTX Ensemble.
- What tangent projects sprouted from this.
- Some of the software available.
- Where am I now.
- Questions

How I got started building an RXTX Ensemble SDR


- GROUP from Hurst Amateur Radio Club
- Me Too – Syndrome
- Great online instructions
 - <http://www.wb5rvz.org/>
- Videos from HamNation & Youtube
 - <http://twit.tv/show/ham-nation/70> - 82
 - <http://youtu.be/lauw0bSe-Cw>
 - <http://youtu.be/gu0v8lfLcKg>
- Help from Softrock 40 Newsgroup
- Had to learn to Solder Surface Mount 1206 (0.126" × 0.063")




Summary Build Notes


USB Power Supply Bill of Material
(40-pin, 20m band option)

Qty	Part	Category	Value	Notes
1	IC1	IC	LM7805	5V Regulator
1	IC2	IC	LM7805	5V Regulator
1	IC3	IC	LM7805	5V Regulator
1	IC4	IC	LM7805	5V Regulator
1	IC5	IC	LM7805	5V Regulator
1	IC6	IC	LM7805	5V Regulator
1	IC7	IC	LM7805	5V Regulator
1	IC8	IC	LM7805	5V Regulator
1	IC9	IC	LM7805	5V Regulator
1	IC10	IC	LM7805	5V Regulator
1	IC11	IC	LM7805	5V Regulator
1	IC12	IC	LM7805	5V Regulator
1	IC13	IC	LM7805	5V Regulator
1	IC14	IC	LM7805	5V Regulator
1	IC15	IC	LM7805	5V Regulator
1	IC16	IC	LM7805	5V Regulator
1	IC17	IC	LM7805	5V Regulator
1	IC18	IC	LM7805	5V Regulator
1	IC19	IC	LM7805	5V Regulator
1	IC20	IC	LM7805	5V Regulator
1	IC21	IC	LM7805	5V Regulator
1	IC22	IC	LM7805	5V Regulator
1	IC23	IC	LM7805	5V Regulator
1	IC24	IC	LM7805	5V Regulator
1	IC25	IC	LM7805	5V Regulator
1	IC26	IC	LM7805	5V Regulator
1	IC27	IC	LM7805	5V Regulator
1	IC28	IC	LM7805	5V Regulator
1	IC29	IC	LM7805	5V Regulator
1	IC30	IC	LM7805	5V Regulator
1	IC31	IC	LM7805	5V Regulator
1	IC32	IC	LM7805	5V Regulator
1	IC33	IC	LM7805	5V Regulator
1	IC34	IC	LM7805	5V Regulator
1	IC35	IC	LM7805	5V Regulator
1	IC36	IC	LM7805	5V Regulator
1	IC37	IC	LM7805	5V Regulator
1	IC38	IC	LM7805	5V Regulator
1	IC39	IC	LM7805	5V Regulator
1	IC40	IC	LM7805	5V Regulator
1	IC41	IC	LM7805	5V Regulator
1	IC42	IC	LM7805	5V Regulator
1	IC43	IC	LM7805	5V Regulator
1	IC44	IC	LM7805	5V Regulator
1	IC45	IC	LM7805	5V Regulator
1	IC46	IC	LM7805	5V Regulator
1	IC47	IC	LM7805	5V Regulator
1	IC48	IC	LM7805	5V Regulator
1	IC49	IC	LM7805	5V Regulator
1	IC50	IC	LM7805	5V Regulator
1	IC51	IC	LM7805	5V Regulator
1	IC52	IC	LM7805	5V Regulator
1	IC53	IC	LM7805	5V Regulator
1	IC54	IC	LM7805	5V Regulator
1	IC55	IC	LM7805	5V Regulator
1	IC56	IC	LM7805	5V Regulator
1	IC57	IC	LM7805	5V Regulator
1	IC58	IC	LM7805	5V Regulator
1	IC59	IC	LM7805	5V Regulator
1	IC60	IC	LM7805	5V Regulator
1	IC61	IC	LM7805	5V Regulator
1	IC62	IC	LM7805	5V Regulator
1	IC63	IC	LM7805	5V Regulator
1	IC64	IC	LM7805	5V Regulator
1	IC65	IC	LM7805	5V Regulator
1	IC66	IC	LM7805	5V Regulator
1	IC67	IC	LM7805	5V Regulator
1	IC68	IC	LM7805	5V Regulator
1	IC69	IC	LM7805	5V Regulator
1	IC70	IC	LM7805	5V Regulator
1	IC71	IC	LM7805	5V Regulator
1	IC72	IC	LM7805	5V Regulator
1	IC73	IC	LM7805	5V Regulator
1	IC74	IC	LM7805	5V Regulator
1	IC75	IC	LM7805	5V Regulator
1	IC76	IC	LM7805	5V Regulator
1	IC77	IC	LM7805	5V Regulator
1	IC78	IC	LM7805	5V Regulator
1	IC79	IC	LM7805	5V Regulator
1	IC80	IC	LM7805	5V Regulator
1	IC81	IC	LM7805	5V Regulator
1	IC82	IC	LM7805	5V Regulator
1	IC83	IC	LM7805	5V Regulator
1	IC84	IC	LM7805	5V Regulator
1	IC85	IC	LM7805	5V Regulator
1	IC86	IC	LM7805	5V Regulator
1	IC87	IC	LM7805	5V Regulator
1	IC88	IC	LM7805	5V Regulator
1	IC89	IC	LM7805	5V Regulator
1	IC90	IC	LM7805	5V Regulator
1	IC91	IC	LM7805	5V Regulator
1	IC92	IC	LM7805	5V Regulator
1	IC93	IC	LM7805	5V Regulator
1	IC94	IC	LM7805	5V Regulator
1	IC95	IC	LM7805	5V Regulator
1	IC96	IC	LM7805	5V Regulator
1	IC97	IC	LM7805	5V Regulator
1	IC98	IC	LM7805	5V Regulator
1	IC99	IC	LM7805	5V Regulator
1	IC100	IC	LM7805	5V Regulator








PANA VISE







PANAVISE
VISE BERICH CR 90500 U/R













USB B


Paddle


Line out

Line in

12V
Power

50 Ohm
Ant






What tangent projects sprouted

- LC Meter – to test coils and caps.
 - <http://krypton2035.free.fr/LCR%20meters/lcr-marc.html>
- An RF probe for measuring power in the PA section
 - <http://www.n5ese.com/rfprobe2.htm>
- A QRP forward and reflected power meter
 - <http://www.nogaqrp.org/projects/nogawatt/kitinfo.html>
- A PAC12 Antenna to get on the air
 - <http://www.njqrp.org/pac-12/>
- Soldering Reflow Oven
 - <http://hobbybotics.com/projects/hobbybotics-reflow-controller-v8-03/>

LC Meter

<http://krypton2035.free.fr/LCR%20meters/lcr-marc.html>

- Measures Inductance and Capacitance
 - Capacitors - 0.0pF to about 0.1uF
 - Inductors - 0.0uH to somewhere over 10mH
- Modeled after one built by an Australian club
- Pic Based Processor 16F628
- Self Calibrating
- Mostly junk box parts I had
- Difficulty Medium
- Very Handy tool
- Versions can be bought already built



57817
41615



Classic RF Probe

<http://www.n5ese.com/rfprobe2.htm>


- Made totally from Junk box parts
- Uses an old ink pen/highlighter case
- Plugs into Fluke DVM
- Measures RF power
- Easy to build
- Valuable tool
- Worthwhile project





RF Unit Converter


<http://www.eeweb.com/toolbox/rf-unit-converter>




QRP Forward / Reflected Power Meter

<http://www.nogaqrp.org/projects/nogawatt/kitinfo.html>

- A partial kit from Northern Georgia QRP Club
- You supply case, wire, coax, switch, BNC jacks
- Easy to build except for artwork on meters
- Machining the case takes some skill
- A valuable tool for the QRPer
- Manhattan style build
- Use it every day
- Inexpensive kit





VEL
473M

VEL
473M

VEL
473M

⊕ JAPAN ⊖
F

⊖ JAPAN ⊕
F



DL



ANT

A PAC12 Antenna to get on the air

<http://www.njqrp.org/pac-12/>

- Easy to build
- Commonly available supplies
- Built $\frac{3}{4}$ " coils instead of $\frac{1}{2}$ "
- Used $\frac{3}{8}$ " rod for base
- Mid section was $\frac{1}{4}$ " rod
- Ultra Lite Whip is available from Buddipole
- Performs much better than I expected







Soldering Reflow Oven


<http://hobbybotics.com/projects/hobbybotics-reflow-controller-v8-03/>

- Used for surface mount projects
- Solder all connections at once using solder paste
- Pic based processor 18F4550 with USB interface
- PID control algorithm (proportional-integral-derivative)
- Run Standalone or use PC application monitoring
- Maintains a controlled temperature profile
- Inexpensive to build
- Processor substitution and software mods made this a more difficult but a great learning project
- Very worthwhile and valuable tool



-MENU-
[1]Reflow [2]Bake
[3]Setup [4]Tune
[5]About [6]Sensor






10CF05K64
AC74

PC8AA
FST3253


LT227
6231

Kester Reflow Profile

Alloy: Sn63Pb37 or Sn62Pb36Ag02



Temperature vs. Time



[Control]

Port:	Baud Rate:
COM8	9600
Connect	Disconnect
Properties	<input checked="" type="checkbox"/> Enable Logging
Auxiliary Ports:	
Auxiliary	

[Status]

Temperature (Deg/C):	60°C	Stage:	WAITING
Setpoint Temperature (Deg/C):	0°C	Elapsed Time:	00:02:26
Stage (Sec) Remaining Time:	N/A	Heater:	OFF
Heater Fan:	OFF	Auxiliary:	OFF

Some of the SDR software available

- CFGSR – SoftRock Configuration & Testing Tool
- ROCKY – SSB, CW
- SDR# - all modes
- PowerSDR – modified all mode app from Flex
- MRP40-SDR (native morse decoder)
- ***WSPR (weak signal propagation reporter)***
- ***HDSDR (all modes)***

Paste Software for Digital Modes

- Virtual Audio Cables
 - Wave Clone
 - VAC
 - ***VB Cable***
- Virtual Serial Ports
 - Com0Com
 - Free Virtual Serial Ports
 - ***VSP Manager***
- Voice Shaper - speech pre-processor for SSB

Just a few of the digital modes

- CW Get
- DigiPan (psk31)
- FLDigi (a plethora of modes)
- WSJT-X (JT65 & JT9)
- IZ8BLY Hellschreiber
- MixW (Multimode digital)
- Hamscope (PSK31, RTTY, ASCII, MFSK, CW)



Server

Server	Location	Protocol
time-b.timefreq.bldr...	US CO: NIST Boulder Laboratori...	SNTP
time-c.timefreq.bldr...	US CO: NIST Boulder Laboratori...	SNTP
time-d.timefreq.bldr...	US CO: NIST Boulder Laboratori...	SNTP
ntp2.usno.navy.mil	US DC: U.S. Naval Observatory, ...	SNTP
tick.usno.navy.mil	US DC: U.S. Naval Observatory, ...	SNTP

Server: tick.usno.navy.mil

Add

Location: US DC: U.S. Naval Observatory, Washington, DC

Edit

Protocol: SNTP

Remove

Notes: Access Policy: open access
 Contact: Rich Schmidt (res@tuttle.usno.navy.mil)
 Synchronization: NTP V3 primary (USNO Master Clock 2)

OK

Cancel

Help

About

Exit

Advanced

How Often

- Load Dimension 4 at startup
- Once loaded, wait until online
- Synchronize once, then exit
- Every

Correction

-
- Maximum correction
 -

Visibility


- Start minimized
- Hide when minimized
- Display icon in tray

Synchronized: -0.009s on 3/8/2014 @ 9:40 AM

History

Current Status: Sleeping until 3/8/2014 @ 9:55 AM...

Server Status: Waiting to read request...



- 200
 - 150
 - 100
 - 50
 - 0
- 118 KB1VLS
 - 113 ON7KO
 - 96 W9RAN
 - 93 NOUE
 - 88 WA8KNE
 - 75 WA3DNM
 - 41 VE3RIA
 - 38 KB1CHU
 - 19 KE0N

Upload spots

979 Hz


Band Map

Frequencies (MHz)

Dial: 14.095600

Tx: 14.097100

Tx fraction (%)



Special

Idle


Tx Next

Tune

UTC	dB	DT	Freq	Drift	
1340	-24	-1.0	14.097096	1	W9RAN EN52 17
1340	-27	-0.5	14.097113	0	ON7KO JO21 37
1340	-11	0.3	14.097151	0	KD6RF EM22 37
1342	-11	0.0	14.097120	0	W3GXT FM19 37
1344	1	-1.8	14.097093	0	NOUE EN34 30
1344	-6	0.3	14.097118	0	KB1VLS FN42 37
1344	-14	-1.0	14.097145	-1	VE3KCL FN03 27
1348	-20	6.5	14.097038	-1	KB1CHU FN42 30
1348	-12	-0.5	14.097088	0	WA8KNE EM90 37
1348	-6	-0.1	14.097173	0	K5XL EM12 33

Erase


2014 Nov 03
13:50:03



KM5HT

Hearing: AF6CH, K0GUN, K3GEN, K4COD, K4RCG, K5XL, KP4MD, N0CXX, NU6K, NY1CO, VE3PLE, W3GXT, W6RRJ, W9SKP, WA3DNM, WA8KNE, WA9JWL, WB2WDC

Heard by: AF6CH, AI4RY, K0GUN, K3GEN, K4COD, K4RCG, K9AN, KB1MVX, KC4IBV, KC8GRQ, KD0HFC, KI7CI, KI7MT, K06SY, KP4MD, KU4QI, N6RY, N7SCQ/RX, NY1CO, VA6TJ, VE3BJY, VE3PLE, W3CSW, W3GXT, W8TOD, W9SKP, WA3DNM, WA8KNE, WA9JWL, WB2WDC



OZ7IT ×
Hearing: KM5HT

PD00HW ×
Hearing: KM5HT



G0MGM ×
Hearing: KM5HT

DK6UG ×
Hearing: KM5HT

G0MGM

PD00HW

DK6UG




AM ECSS FM LSB USB CW DRM

LO **A** 0014.066.000 FreqMgr
 Tune 0014.076.000 ExtIO
 Volume# _____
 AGC Thresh. _____



Waterfall Spectrum RBW 23.4 Hz 2 Avg Speed
 Zoom _____



- Soundcard [F5]
- Bandwidth [F6]
- Options [F7]

- Help / Update [F1]
- Full Screen [F11]
- Stop [F2]
- Minimize [F3]
- Exit [F4]

10/8/2014 7:37:30 AM
 CPU HSDR: 5%
 CPU Total: 19%

TX

Waterfall Spectrum RBW 5.9 Hz 1 Avg Speed
 Zoom _____



Audio Input Levels

L 3


R 3

Optimum input level is 0 with only background noise present.

Digital Audio Gain

L: 0

R: 0



2014-Aug-03

12:41:14

Dial QRG KHz

0

Current Operation: Receiving

Color-map Brightness Contrast Speed Gain

Blue 5 0 Smooth

Clear Decodes Decode Again 0 DT Offset Restore Defaults

Double click an entry in list to begin a QSO. Right click copies to clipboard.

UTC	Sync	dB	DT	DF	Exchange
12:39	6	-7	0.9	-608	B KM5HT RRR 73
12:37	8	-9	0.9	-608	B KM5HT CO2VE -21
12:35	8	-15	-0.5	-27	B OV1JL VA2PGB R-14
12:35	14	-10	0.5	-323	B WA9THI K4LRP R-06
12:35	5	-8	1.0	-608	B CQ CO2VE EL83
12:34	7	-9	-0.2	-320	B K4LRP WA9THI -11
12:33	2	-2	-0.6	-102	K WA9THI K4LRP EL98
12:33	5	-7	0.9	-568	B JA1GWA JR1AQN R-13
12:32	7	-11	0.1	-334	B CQ KK4OA FM17
12:31	3	-10	0.1	234	B CQ VA3LLZ FN03
12:31	17	-4	-1.0	-102	B W0QL NC4RB EM95

RX/TX Progress

Message To TX: CO2VE KM5HT 73

TX Text (13 Characters) **TX OFF**

TX Generated

TX Even TX Odd

Call CQ and answer callers

Answering CQ

TX DF RX DF TX DF = RX DF TX to Call Sign Rpt (-#)

-608 -608 AFC CO2VE .09

Zero Zero Noise Blank

Single BW Multi BW Enable Multi

100 100 Enable RB Enable PSKR

RB/PSKR Counts 0 0

Sound In: 04-CABLE-A Output (VB-Audio Cable)

Sound Out: 07-CABLE-B Input (VB-Audio Cable B)

Band Activity

UTC	dB	DT	Freq	Message
1223	7	0.8	2594	# K7JNX K7JNX 73
1223	-20	0.6	523	# MOWIT N2VWP R-15
1223	-2	0.6	794	# DE W1AW/4 73
1223	-1	0.9	1612	# KB3PD KK4HEG -06
1223	-1	1.3	1721	# CQ KC5YSN EN81 ~U.d States

1225	-2	0.5	1724	# KM5HT KC5YSN -04
1225	-16	0.6	523	# MOWIT N2VWP 73
1225	-1	0.7	1612	# 50W VER TU 73
1225	11	0.7	2595	@ CQ K7JNX EM96 U.d States

1227	-6	0.9	1724	# KM5HT KC5YSN RRR
1227	-1	0.8	1613	# CQ KK4HEG EM95 ~U.d States
1227	7	0.6	2596	@ CQ K7JNX EM96 U.d States

Rx Frequency

UTC	dB	DT	Freq	Message
1210	1X		2589	@ K7JNX KM5HT EM12
1217	3	0.8	2592	@ KM5HT K7JNX -09
1218	Tx		2592	@ K7JNX KM5HT R+03
1219	14	0.7	2594	@ KM5HT K7JNX RRR
1220	Tx		2592	@ K7JNX KM5HT R+03
1221	13	0.7	2594	@ KM5HT K7JNX RRR
1222	Tx		2592	@ K7JNX KM5HT 73
1223	7	0.8	2594	@ KM5HT K7JNX 73
1223	-1	1.3	1721	# CQ KC5YSN EN81
1224	Tx		1721	# KC5YSN KM5HT EM12
1225	-2	0.5	1724	# KM5HT KC5YSN -04
1226	Tx		1724	# KC5YSN KM5HT R-02
1227	-6	0.9	1724	# KM5HT KC5YSN RRR
1228	Tx		1724	# KC5YSN KM5HT R-02

Log QSO Stop Monitor Erase Decode **Enable Tx** Halt Tx Tune

20 m **14.076 000**

+2 kHz DX Call DX Grid
 KC5YSN EN81
 Az: 48 992 mi
 Lookup Add

2014 Oct 08 12:28:24

Tx even
 Tx JT65 #
 Tx 1724 Hz
 Rx 1724 Hz
 Tx=Rx Rx=Tx
 Lock Tx=Rx
 Report -2

Generate Std Msgs



Next	Now
KC5YSN KM5HT EM12	<input type="radio"/> Tx 1
KC5YSN KM5HT -02	<input type="radio"/> Tx 2
KC5YSN KM5HT R-02	<input type="radio"/> Tx 3
KC5YSN KM5HT RRR	<input type="radio"/> Tx 4
1W PAC12 ANT	<input checked="" type="radio"/> Tx 5
CQ KM5HT EM12	<input type="radio"/> Tx 6


Tx: KC5YSN KM5HT R-02 JT9+JT65 Last Tx: KC5YSN KM5HT R-02

JTMacros...


1W PAC12 ANT
 &W VRT TU73
 &W DPL TU73
 &W 2EL TU73
 &W 3EL TU73
 UR IN LOG 73
 CHK UR CLOCK
 QRM PSE AGN?
 SIG WEAK AGN?
 SRI NO DECODE
 SRI NO CPY 73
 PSE LOTW TU73
 PSE EQSL TU73
 NEWSTATE TU73
 TU NEWBAND 73
 TU % BANDS 73
 @ R> 73
 @ TU 73
 TU \$ 73
 #

Call	Name	QTH	Grid	Comments	PWR	Country Name	State	CQ	ITU	Cont.	QSL
KK4HEG - NC	Windham	Wakeman				United States	OH	4	8	NA	<input type="checkbox"/>
KC5YSN - OH											
K7JNX - B4											





On 20m, show signals sent/rcvd by the callsign KM5HT using all modes over the last 24 hours Go! Display options
Monitoring KM5HT (last heard 20 hrs ago). Automatic refresh in 4 minutes. Small markers are the 85 transmitters heard at KM5HT (44 reports, 7 countries last 24 hours; 154 reports, 14 countries last week). There are 249 active monitors on 20m. Show all on all bands Legend



Where am I now

- I live in an HOA
- Radio - RXTX Ensemble running 1 watt
- Antenna – PAC12 mostly on 20 meters
- USB Sound card – Sound Blaster X-Fi SB1095
- Computer – HP G60-530US
 - Dual Core 2.1 Ghz
 - 4 Gb Memory
 - Solid State Drive
 - Windows 7 64 bit

- SDR program HDSDR
- VBACable – virtual audio cable A & B
- VSPmanager – virtual serial cable
- WSJT-X, JTAlert, JTMacros – for JT65 & JT9
- FLDigi and DigiPan for other digital modes
- Log4OM → QRZ log, eQSL, Lotw
- PSK Reporter
- Read Softrock40 newgroup daily



Questions?

